
Vauxhall



Antibes. Package deals with no surcharges.








The inimitable Nova could never be called an ordinary car. The new Nova Antibes 1.2 3-door hatchback even less so. Indeed, the list of equipment and extras included in its modest price is quite extra-ordinary.

At the top of that list are: an incisive five speed gearbox, a sliding/tiltable glass sunroof and a four-speaker stereo radio/stereo cassette player.

More conspicuously, perhaps, there are the exclusive Antibes body work colour schemes: rich Regatta blue, with crisp red and white stripes; dazzling Polar white, with red and blue side stripes; and luscious Carmine red, with blue and white side stripes. In each case,




# Nova 1.2 ANTIBES











The interior proclaims, just as clearly as the exterior, that the Nova Antibes offers a whole new style of motoring. You view the world through windows


You view the world through windows subtly tinted with bronze – and a windscreen with a shade band, to

reduce glare.

You sit in seats covered in special 'Ronda' fabric – an eyecatching red, if you opt for red body work, a regally opulent blue with white or blue body work. Cloth door trim inserts and velour carpets emphasise the fact that, in the Nova Antibes, the luxury is wall to wall.

Some things are purely 'standard'
Nova, of course. The same crisp
performance... the same sure handling
... the same depend-on-me reliability...
and (needless to say) the same low
running costs.

The Antibes is like no other Nova. Unique? That just about sums it up.





indefinable but unmistakable quality, style.

The specially co-ordinated bodywork colours and interior trim combinations are as for the Nova. And again, Antibes value for money is underlined by the imposing array of extras included in the price. They're headed by a sliding/tiltable



glass sunroof, a 5-speed gearbox and a four-speaker stereo radio/stereo cassette player, with automatic electric aerial.

The wheels, with flush white covers, are fitted with broad-shouldered low profile tyres – further enhancing the Astra's reputation for round-the-curves and down-the-straight handling. The SR rear spoiler, bronze tinted glass, body side protection mouldings and central locking are all included in the price.


The interior specification is every bit as comprehensive . . .

Astra 1.3



Astra 1.3














Astra Antibes, you step out of the ordinary world of everyday motoring.
Velour carpets? of course. 3-spoke sports steering wheel, tiltable steering column, height adjustment for the driver's seat? naturally.

Cloth door trim inserts? internally adjustable passenger door mirror? You don't even have to ask! Because, if the Astra Antibes epitomises the concept of style, it also provides a working definition of the term 'comprehensively equipped'.





Given the immense popularity of the Cavalier it obviously offers precisely the blend of performance, reliability, low running costs and comfort demanded by a vast number of motorists. But it would, clearly, be foolish to claim, for a car which so overwhelmingly dominates its class, the additional virtue of exclusivity. Unless, that is, you happen to be the fortunate possessor of a Cavalier Antibes.

These dashing new Cavalier 1.6 saloons and hatchbacks offer the same range of exclusive paintwork, side stripes and interior trim colours as the two other models which bear the Antibes motif.

As you'd expect, the spec. list is equally impressive.



A 5-speed gearbox is standard. A sliding/tiltable glass sunroof is standard.

A four-speaker stereo radio/stereo cassette player, with electric aerial, is standard.

Bronze tinted glass; central locking, white Griffin grille emblem; white, flush wheel covers, rear spoiler and roadhugging low profile tyres; smart, anthracite coloured drip rails and waistline mouldings; a tailgate wash/wipe on the hatchback; and black inserts on the side mouldings and bumpers . . . are all (that's right) standard.

Now turn the page for the inside

story ...

Cavalier 1.6

Antibes

# Cavalier 1.6











The minute you open the driver's door of the Cavalier Antibes, you know you're looking at the top car of a very exclusive range.

We need hardly mention that the Cavalier Antibes is fitted with velour carpets, cloth door trim inserts and cloth-covered front seat head restraints.

You can also take it for granted that the passenger door mirror is adjustable from inside the vehicle and that a seat height adjuster and tiltable steering column are provided to allow you to tailor the driving position to your liking.

Added to all this is the sensual pleasure of driving a car which, motoring journalists agree, offers levels of performance and handling approached by very few cars in its class.

Take a good look at – or, better still, a drive in – the Cavalier Antibes and we think you'll agree there's really nothing we can add. And that's what makes our dazzling front-runner not only sensational, but sensational value for money.

# **Nova 1.2**

### SPECIFICATIONS ENGINE

1.2 1196cc overhead cam, 4-cylinder. Power (max): 55PS (DIN) @ 5600rpm. Torque (max): 66.4 lb. ft. [90 Nm) @ 2200rpm. Fuel system: Pierburg 181 single barrel carburettor. Manual choke with warning light. Compression ratio: 9.2:1 (4-star fuel). Electronic breakerless ignition, hydraulic tappets, alloy cross-flow cylinder head and electric cooling fan.

### PERFORMANCE (mph)

Max speed 94.5. (Manufacturer's figure).

### TRANSMISSION

Mechanical asbestos-free, single plate clutch. Front wheel drive. 5-speed overdrive gearbox. Gear ratios

1st	3.55:1
2nd	1.96:1
3rd	1.30:1
4th	0.89:1
5th	0.71:1
Rev	3.18:1
Final drive ratio	3.94:1

### SUSPENSION

Front: Independent, MacPherson struts with damper cartridge and coil springs. Rear: Compound crank with progressive rate miniblock coil springs and telescopic dampers.

### STEERING

Rack and pinion. Energy absorbing steering column. 3.9 turns lock-to-lock. Turning circle: 30.7ft. (9.35m).

### BRAKES

Dual circuit, diagonally split, servo assisted. Two pressure conscious reducing valves. Handbrake-on and low brake fluid warning light. Plastic coated brake pipes.

### WHEELS/TYRES

 $4^{1\!/_{\!2}}$  J  $\times$  13 steel wheels with white flush covers. 155/70 SR 13 low profile tyres.

### **FUEL CAPACITY**

9.2 Imp. gallons (42 litres).



### ELECTRICS

12 volt negative earth system. 45 amp alternator. 36Ah maintenance-free battery.

### BODY

1.2 Hatc

Aerodynamic all steel body with extensive anticorrosion protection. Safety crumple zones front and rear. Rigid passenger safety-cell. Single 2-way key operated locks, ignition and fuel cap. Burst-proof door locks. Tailgate assist strut. Steel bumpers with thermoplastic clip-on covers. Front air spoiler. Nova Antibes carries a six-year body panel anti-perforation warranty.

**USABLE LOAD CAPACITIES** (cu. ft.) Rear seat up 7.9°. Rear seat down 29.8. "Volume under hinged load cover.

### **DOT FUEL CONSUMPTION TESTS** Mpg (Litres/100km)

Fuel consumption data officially certified by the United Kingdom Government as required by the Passenger Car Fuel Consumption Order 1977.

	Simulated	Constant Speed		
	Urban	56mph	75mph	
	Driving	(90km/h)	(120km/h)	
h	(5-M) 34.9(8.1)	60.1(4.7)	44.8(6.3)	

5-M = 5-speed manual transmission

### **ANTIBES FEATURES**

**EXTERIOR:** Five-speed gearbox • White flush wheel covers • Low profile tyres • Halogen headlamps • Body side protection mouldings •
Laminated windscreen • Bronze tinted glass and
windscreen shadeband • Locking fuel cap • Integral reversing light • Integral rear fog lamp • Hazard warning lights • Heated rear window • Two-speed windscreen wipers with intermittent wipe • Intermittent tailgate wash/wipe • Electric screenwash · Driver's door mirror · Passenger door mirror • Retractable aerial • 5-speed gearbox • Sliding/tiltable glass sunroof • 'Antibes' motif on tailgate • Thermoplastic bumper covers • Gas-assisted tailgate strut • Side repeat indicators 'Antibes' side stripes
 SR tailgate spoiler

INTERIOR: Inertia real front seat belts • Front seat belt buckle mounted on seat frame • Fold down rear seat . Fully reclining front seats . See-through front seat head restraints . Ronda cloth seat trim • Velour carpeting • Load area mat
• Carpeted load cover • DC752 stereo radio/ stereo cassette player – four speakers • Quartz clock • Full width front parcel shelf • Front and rear armrests • One front and two rear ashtrays • Dipping rear view mirror • Lidded glovebox • Twin sun visors • Vanity mirror • Front door pockets · Adjustable face-level air vents · Threespeed heater fan • Illuminated heater controls • Three-spoke sports steering wheel • Cloth door trim inserts.

### WEIGHTS (kgs.) Kei

Ro

rb weight	750
oss vehicle weight	1220
of rack max load	80

## Astra 1.3

### SPECIFICATIONS ENGINE

1.3 1297cc overhead cam, 4-cylinder. Power (max): 75PS (DIN) @ 5800rpm. Torque (max): 74.5 lb. ft. (101 Nm) @ 4200rpm. Fuel system: Pierburg 2E twin barrel carburettor. Automatic choke. Compression ratio: 9.2:1 (4-star fuel). Electronic breakerless ignition, hydraulic tappets, alloy crossflow cylinder head, electric cooling fan.

### PERFORMANCE (mph)

Manual 105.6. Auto 102.5 (Manufacturer's figures).

### TRANSMISSION

Mechanical asbestos-free single plate clutch. Front wheel drive. 5-speed overdrive gearbox.

1 st	3.	55:1
2nd	1.	96:1
3rd	1.3	30:1
4th	0.0	89:1
5th	0.1	71:1
Rev	3.	18:1

GM three-speed automatic gearbox optional at extra cost

Final drive ratios

Manual 4.18:1 Auto 3.74:1

### SUSPENSION

Front: Independent. MacPherson struts with damper cartridge and coil springs. Anti-roll bar. Rear: Compound crank with twin trailing arms. Double conical miniblock springs. Telescopic dampers. Anti-roll bar.

### STEERING

Rack and pinion. Energy-absorbing steering column. Tiltable steering column standard. Turning circle: 32.2 ft. (9.8m).

### BRAKES

Diagonally split, dual circuit system with servo assistance. Asbestos-free front pads. Two pressure conscious reducing valves. Handbrake-on and low brake fluid warning light. Plastic-coated brake pipes.

### WHEELS/TYRES

5J × 13 steel wheels with white flush covers. 175/70 SR 13 low profile tyres.



DIMENSIONS: inches (metres)

### **FUEL CAPACITY**

11.4 Imp. gallons (52 litres).

### ELECTRICS

12 volt negative earth system. 45 amp alternator. 44Ah maintenance-free battery.

### BODY

All steel body with extensive anti-corrosion protection. Safety crumple zones, front and rear. Rigid passenger safety cell. Child proof locks on rear passenger doors. Burst-proof door locks. Single, two-way key operated locks, ignition and fuel cap. Two tailgate assist struts. Astra 'Antibes' carries a six-year body panel anti-perforation warranty.

### USABLE LOAD CAPACITIES (cu. ft.)

Hatch: Seat up 13.8\*. Seat down 35.3
\*Volume under hinged load cover.

### DoT FUEL CONSUMPTION TESTS Mpg (Litres/100km)

Fuel consumption data officially certified by the United Kingdom Government as required by the Passenger Car Fuel Consumption Order 1977.

	Simulated	Constant Speed	
	Urban	56mph	75mph
	Driving	(90km/h)	(120km/h)
Manual	31.7(8.9)	56.5(5.0)	43.6(6.5)
Auto	30.0(9.4)		36.7(7.7)

### **ANTIBES FEATURES**

**EXTERIOR:** Five-speed gearbox • White flush wheel covers • Halogen headlamps • Body side protection mouldings • Laminated windscreen • Bronze tinted glass and windscreen shadeband • Locking fuel cap • Twin reversing lights • Twin rear fog lamps • Hazard warning lights • Heated rear window • Two-speed windscreen wipers with intermittent wipe • Intermittent tailgate wash/wipe • Internally adjustable driver's door mirror • Internally adjustable passenger door mirror • Internally adjustable passenger door mirror • Electrically operated aerial • Sliding/tiltable glass sunroof • 'Antibes' motif on tailgate • Tailgate pushlock • Side repeat indicators • 'Antibes' side stripes • SR rear spoiler

INTERIOR: Inertia reel front seat belts • Front seat belt buckle mounted on seat frame • Height adjustable front seat belts • Fold down rear seat • Fully reclining front seats • Drivers seat height adjuster • See-through quick release front seat head restraints • Ronda cloth seat trim • Velour carpeting • Load area mat • Carpeted hinged rear load compartment cover • DC752 stereo radio/stereo cassette player – four speakers • Full door trim and continental-style front armrests • Front and rear ashtrays • Lidded glovebox • Vanity mirror • Adjustable face-level air vents • Air blend heater with three-speed fan • Three-spoke sports steering wheel • Cloth door trim inserts • Tiltable steering column • Side window demist vents • Integral centre console.

### **OPTIONAL EXTRA**

Automatic transmission.

WEIGHTS (kgs.) Kerb weight Gross vehicle weight Roof rack max load Manual Auto 875 915 1365 1410 100

# Cavalier 1.6

### SPECIFICATIONS ENGINE

1.6 1598cc overhead cam, 4-cylinder. Power (max): 90PS (DIN) @ 5800rpm. Torque (max): 93.0 lb. ft. (126 Nm) @ 3800-4200rpm. Fuel system: Varajet II twin barrel carburettor. Manual choke with warning light — manual transmission. Automatic choke — automatic transmission. Compression ratio: 9.2:1 (4-star fuel). Electronic breakerless ignition, hydraulic tappets, alloy crossflow cylinder head, electric cooling fan.

### PERFORMANCE (mph)

Manual 105.6. Auto 102.5. (Manufacturer's figures).

### TRANSMISSION

Mechanical asbestos-free, single plate clutch. Front wheel drive. 5-speed overdrive gearbox standard.

Gear ratios

l st	3.42:1
2nd	1.95:1
3rd	1.28:1
4th	0.89:1
5th	0.71:1
Rev	3.33:1

GM three-speed automatic gearbox optional at extra cost.

Final drive ratios

Manual 3.94:1 Auto 3.43:1

### SUSPENSION

Front: Independent. MacPherson struts with damper cartridge and coil springs. Anti-roll bar. Rear: Compound crank with progressive rate miniblock coil springs and telescopic dampers. Anti-roll bar.

### STEERING


Rack and pinion. Energy-absorbing steering column. Tiltable steering column standard. Turning circle: 33.1 ft. (10.1 m).

### BRAKES

Dual circuit, diagonally split with direct action servo. Pressure conscious reducing valve. Handbrake-on and low brake fluid warning light. Plastic-coated brake pipes.

### WHEELS/TYRES

 $5J \times 13$  steel wheels with white flush covers. 185/70 SR 13 low profile tyres.



### FUEL CAPACITY

13.4 Imp. gallons (61 litres).

### ELECTRICS

12 volt negative earth system. 45 amp alternator. 44Ah maintenance-free battery.

### BODY

All steel body with extensive anti-corrosion protection. Choice of two aerodynamic body styles: 4-door Saloon/5-door Hatch. Safety crumple zones, front and rear. Rigid passenger safety cell. Single two-way key operated locks, ignition and fuel cap. Burst-proof door locks. Child-proof locks on rear doors. Tailgate assist struts on Hatch. Steel bumpers with thermoplastic covers. Deep front air spoiler. Cavalier Antibes carries a six-year body panel anti-perforation warranty.

### USABLE LOAD CAPACITIES (cu. ft.)

Saloon: Seat up 18.0. Hatch: Seat up 15.7\*, Seat down 42.9. \*Volume under hinged load cover.

### DoT FUEL CONSUMPTION TESTS Mpg (Litres/100km)

Fuel consumption data officially certified by the United Kingdom Government as required by the Passenger Car Fuel Consumption Order 1977.

	Simulated	Constar	Constant Speed	
	Urban	56mph	75mph	
	Driving	(90km/h)	(120km/h)	
Manual	28.8(9.8)	49.6(5.7)	37.1(7.6)	
Auto	28.5(9.9)	42.8(6.6)	31.7(8.9)	

### **ANTIBES FEATURES**

**EXTERIOR:** Five-speed gearbox • White flush wheel covers • Low profile tyres • Halogen headlamps • Body side protection mouldings • Laminated windscreen • Bronze tinted glass and windscreen shadeband • Locking fuel cap • Twin reversing lights • Twin rear fog lamps • Hazard warning lights • Heated rear window • Two-speed windscreen wipers with intermittent wipe • Intermittent tailgate wash/wipe • Internally adjustable driver's door mirror • Internally adjustable passenger door mirror • Electrically operated aerial • Sliding/tiltable glass sunroof • Antibes' motif on tailgate • Side repeat indicators • 'Antibes' side stripes • Four-door central locking

SRi rear spoiler


INTERIOR: Inertia reel front seat belts • Front seat belt buckle mounted on seat frame • 60/40 split-folding rear seat (hatch) • Driver's seat height adjuster • Cloth padded quick release front head restraints • Ronda cloth seat trim • Velour carpeting • Carpeted load cover (hatch) • DC752 stereo radio/stereo cassette player – four speakers • Quartz clock and cigar lighter • Continental-style front door armrests • Dipping rear view mirror and vanity mirror • Lockable glovebox • Driver's door pocket • Air blend heater with three-speed fan • Three-spoke sports steering wheel • Cloth door trim inserts • Tiltable steering column • Headlamps-on warning buzzer • Trip odometer • Integral centre console

### OPTIONAL EXTRA

Automatic transmission

WEIGHTS (kgs.)	Manual Auto	
Kerb weight: Saloon Hatch	1000 1030 1025 1055	
Gross vehicle weight: Saloon Hatch Roof rack max load	1515 1545 1535 1565 80	





Every effort has been made to ensure that the contents of this publication were accurate and up-to-date at the time of going to press (May, 1986). However, with Vauxhall-Opel's policy of continuous product improvement, the Company reserves the right to change specifications and make modifications to the vehicles described and illustrated at any time.

Any alterations affecting the description and illustrations in this publication will be notified to Vauxhall-Opel dealers at the earliest opportunity.

Please consult your Vauxhall-Opel dealer for the latest information.

The colours reproduced may vary slightly from the actual paint colour or material due to limitations of the printing process.

It should be noted that Vauxhall-Opel dealers are not the agents of Vauxhall Motors Limited and are not authorised to bind the Company by any specific or implied undertaking or representation.



Vauxhall-Opel Passenger Car Marketing Vauxhall Motors Limited, Luton, LU2 OSY V6394 Published May 1986